







"DANGER!" - Electrical Shock Hazard

This module has a Voltage of 50V or greater, NO contact should be attempted before removing power. This especially includes separation or insertion of the mating connectors or any contact with the tool changer or its components.

Rev.	Description	Initiator	Date
01P	Initial release	WB	11/6/2015
02	No changes. Release.	WB	7/6/2016



- Notes:
1. Module electrical rating: 3A / 50 VDC.
 2. Customer approval of electrical schematic is required.
 3. Customer is to approve connector selection and orientation.
 4. See sheet 4 for module wiring schematic.

NOTES: UNLESS OTHERWISE SPECIFIED.

DO NOT SCALE DRAWING. ALL DIMENSIONS ARE IN MILLIMETERS.



3rd ANGLE PROJECTION









1031 Goodworth Drive, Apex, NC 27539, USA
 Tel: +1.919.772.0115 Email: info@ati-ia.com
 Fax: +1.919.772.8259 www.ati-ia.com
 ISO 9001 Registered Company

PROPERTY OF ATI INDUSTRIAL AUTOMATION, INC. NOT TO BE REPRODUCED IN ANY MANNER EXCEPT ON ORDER OR WITH PRIOR WRITTEN AUTHORIZATION OF ATI.

DRAWN BY: W. Berrocal, 11/5/15		TITLE	
CHECKED BY: L. Jamshidi, 11/19/15		K26P-M/K26-T Customer Drawing	
PROJECT # 151105-1	SHEET 1 OF 4	SCALE 1:1	SIZE B
		DRAWING NUMBER	REVISION
		9630-20-K26PM K26T	02

Rev.	Description	Initiator	Date
-	See Sheet1	-	-



NOTES: UNLESS OTHERWISE SPECIFIED.

DO NOT SCALE DRAWING.
ALL DIMENSIONS ARE IN INCHES.





1031 Goodworth Drive, Apex, NC 27539, USA
Tel: +1.919.772.0115 Email: info@ati-ia.com
Fax: +1.919.772.8259 www.ati-ia.com
ISO 9001 Registered Company

PROPERTY OF ATI INDUSTRIAL AUTOMATION, INC. NOT TO BE REPRODUCED IN ANY MANNER EXCEPT ON ORDER OR WITH PRIOR WRITTEN AUTHORIZATION OF ATI.

DRAWN BY: W. Berrocal, 11/5/15		TITLE	
CHECKED BY: L. Jamshidi, 11/19/15		K26P-M/K26-T Customer Drawing	
PROJECT # 151105-1	SHEET 2 OF 4	SCALE 1:1	SIZE B
DRAWING NUMBER 9630-20-K26PM K26T		REVISION 02	



Rev.	Description	Initiator	Date
-	See Sheet1	-	-



DETAIL C
SCALE 3 : 1

9120-K26-T

ATI 26-Pin
Tool Pin
Block



DETAIL D
SCALE 3 : 1

NOTES: UNLESS OTHERWISE SPECIFIED.

DO NOT SCALE DRAWING. ALL DIMENSIONS ARE IN INCHES.



3rd ANGLE PROJECTION



1031 Goodworth Drive, Apex, NC 27539, USA
Tel: +1.919.772.0115 Email: info@ati-ia.com
Fax: +1.919.772.8259 www.ati-ia.com
ISO 9001 Registered Company


PROPERTY OF ATI INDUSTRIAL AUTOMATION, INC. NOT TO BE REPRODUCED IN ANY MANNER EXCEPT ON ORDER OR WITH PRIOR WRITTEN AUTHORIZATION OF ATI.

DRAWN BY: W. Berrocal, 11/5/15		TITLE	
CHECKED BY: L. Jamshidi, 11/19/15		K26P-M/K26-T Customer Drawing	
PROJECT # 151105-1	SHEET 3 OF 4	SCALE 1:1	SIZE B
DRAWING NUMBER 9630-20-K26PM K26T		REVISION 02	

Rev.	Description	Initiator	Date
-	See Sheet1	-	-

9120-K26P-M

9120-K26-T



26-Pin Male Connector

26-Pin Female Connector

Unlocked Connector
3-Pin M8 Female

Unlocked Input

Locked Connector
3-Pin Female Connector

Locked Input

Notes:

- Pin 'c' of the 26-Pin Master Connector is the first-to-mate and last-to-break at the pin block interface. This pin is recommended as use for ground.
- Pins 'D' and 'H' of the 26-Pin Master connector are designated to provide 24V and 0V to the Locked and Unlocked sensors.

NOTES: UNLESS OTHERWISE SPECIFIED.

DO NOT SCALE DRAWING. ALL DIMENSIONS ARE IN INCHES.



3rd ANGLE PROJECTION



1031 Goodworth Drive, Apex, NC 27539, USA
 Tel: +1.919.772.0115 Email: info@ati-ia.com
 Fax: +1.919.772.8259 www.ati-ia.com
 ISO 9001 Registered Company

PROPERTY OF ATI INDUSTRIAL AUTOMATION, INC. NOT TO BE REPRODUCED IN ANY MANNER EXCEPT ON ORDER OR WITH PRIOR WRITTEN AUTHORIZATION OF ATI.

DRAWN BY: W. Berrocal, 11/5/15		TITLE	
CHECKED BY: L. Jamshidi, 11/19/15		K26P-M/K26-T Customer Drawing	
PROJECT #	151105-1	SHEET	4 OF 4
SCALE	1:1	SIZE	B
DRAWING NUMBER	9630-20-K26PM K26T		REVISION
			02